

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	72	filter\$4 and dielectric adj3 (resonator resonance resonant\$) and (pcb pwb printed adj3 board) and electromagnetic\$4 and (secur\$5 attach\$4 fasten\$4 affix\$4) and (line stripline microstrip conductor) and (terminat\$4 shunt \$4) and (recess groove trough trench niche hole opening dent indentation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:04
L2	51	filter\$4 and dielectric adj3 (resonator) and (pcb pwb printed adj3 board) and electromagnetic\$4 and (secur\$5 attach\$4 fasten\$4 affix\$4) and (line stripline microstrip conductor) and (terminat\$4 shunt \$4) and (recess groove trough trench niche hole opening dent indentation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:05
L3	8	"6127907"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:08
L4	1790	(333/202).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/26 15:11
L5	872	(333/219).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/26 15:12

L6	789	(333/219.1).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/26 15:12
L7	414	(333/227).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/26 15:12
L8	917	4 and (dielectric ceramic) near3 (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:12
L9	103	8 and (pcb pwb printed adj3 board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:13
L10	360	5 and (dielectric ceramic) near3 (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:17
L11	48	10 and (pcb pwb printed adj3 board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:17
L12	709	6 and (dielectric ceramic) near3 (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:19
L13	40	12 and (pcb pwb printed adj3 board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:19
L14	66	7 and (dielectric ceramic) near3 (resonator resonance resonant\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:21
L15	6	14 and (pcb pwb printed adj3 board)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:21

L16	213	(8 10 12 14) and board not (9 11 13 15)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:22
L17	2	(dielectric adj3 (resonator resonance resonant\$) and (pcb pwb printed adj3 board) and electromagnetic\$4 and (secur\$5 attach\$4 fasten\$4 affix\$4) and (line stripline microstrip conductor) and (terminat\$4 shunt \$4) and (recess groove trough trench niche hole opening dent indentation)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 15:28

5/26/08 4:01:32 PM

C:\Documents and Settings\KGlenn\My Documents\EAST\Workspaces\10576619.wsp